

TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM



# **SMB1W-395R**

**TECHNICAL DATA** 

# High Power LED, SMD

**InGaAs** 

SMB1W-395R is a InGaAs high power LED, mounted on a cooper heat sink with a 5x5 mm SMD package and molded with silicone resin. On forward bias, it emits a radiation of typical 100 mW at a peak wavelength of 395 nm.

## **Specifications**

Structure: InGaAs, 1W high power chip

Peak Wavelength: 395 nm


Optical Output Power: 100 mW Package: SMD, PPA resin Lead frame die: silver plated on copper

Lens: silicone resin

# anode cathode

# Absolute Maximum Ratings (T<sub>A</sub>=25°C)

Item	Symbol Value		Unit
Power Dissipation	P <sub>D</sub>	1500	mW
Forward Current	l <sub>F</sub>	350	mΑ
Pulse Forward Current *1	I <sub>FP</sub>	700	mΑ
Reverse Voltage	$V_R$	10	V
Junction Temperature	TJ	100	ç
Operating Temperature	Topr	-30 +85	ç
Storage Temperature	T <sub>stg</sub>	-30 +100	ç
Soldering Temperature *2	T <sub>sol</sub>	255	°C



(Unit: mm)

## **Electro-Optical Characteristics**

Item	Symbol	Condition	Min.	Тур.	Max.	Unit
Forward Voltage	VF	$I_F = 200 \text{ mA}$	ī	3.5	4.3	V
		$I_F = 350 \text{ mA}$	Ī	3.7	4.5	
Pulsed Forward Voltage	$V_{FP}$	$I_{FP} = 500 \text{ mA}$	-	3.9	5.3	V
		$I_{FP} = 700 \text{ mA}$	-	4.1	5.5	
Reverse Current	I <sub>R</sub>	$V_R = 5 V$	-	-	10	μΑ
Total Radiated Power	Po	$I_F = 200 \text{ mA}$	-	100	-	mW
Peak Wavelength	$\lambda_{P}$	$I_F = 200 \text{ mA}$	-	395	-	nm
Half Width	Δλ	$I_F = 200 \text{ mA}$	-	14	-	nm
Viewing Half Angle	Θ1/2	$I_F = 200 \text{ mA}$	ī	±63	-	deg.

Radiated Power is measured by S3584-08

**Note:** The above specifications are for reference purpose only and subjected to change without prior notice.

<sup>\*1</sup> duty = 1%, pulse width = 10  $\mu$ s

<sup>\*2</sup> must be completed within 3 seconds





# ROITHNER LASERTECHNIK GIRDH





WIEDNER HAUPTSTRASSE 76 IO40 VIENNA AUSTRIA TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM

## **Typical Performance Curves**












# ROITHNER LASERTECHNIK GIRDH

WIEDNER HAUPTSTRASSE 76 IO40 VIENNA AUSTRIA TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM



## Radiation Pattern





# ROITHNER LASERTECHNIK GIRDH

WIEDNER HAUPTSTRASSE 76 IO40 VIENNA AUSTRIA TEL. +43 I 586 52 43 -0, FAX. -44, OFFICE@ROITHNER-LASER.COM



#### Precaution for Use


#### 1. Cautions

- This high power LED must be cooled!
- DO NOT look directly into the emitting area of the LED during operation!



### 2. Soldering Conditions

- DO NOT apply any stress to the lead particularly when heat.
- After soldering the LEDs should be protected from mechanical shock or vibration until the LEDs return to room temperature.
- When it is necessary to clamp the LEDs to prevent soldering failure, it is important to minimize the mechanical stress on the LEDs.



#### 3. Static Electricity

- The LEDs are very sensitive to Static Electricity and surge voltage. So it is recommended that a wrist band and/or an antielectrostatic glove be used when handling the LEDs.
- All devices, equipment and machinery must be grounded properly.
  It is recommended that precautions should be taken against surge voltage to the equipment that mounts the LEDs.



#### 4. Heat Generation

- Thermal design of the end product is of paramount importance. Please consider the heat generation of the LED when making the system design. The coefficient of temperature increase per input electric power is affected by the thermal resistance of the circuit board and density of LED placement on the board, as well as other components. It is necessary to avoid intense heat generation and operate within the maximum ratings given in the specification.
- The operating current should be decided after considering the ambient maximum temperature of LEDs.

#### 5. Storage

- The LEDs should be stored at 30°C or less and 60%RH or less after being shipped and the storage life limits are 3 months. If the LEDs are stored for 3 months or more, they can be stored for a year in a sealed container with nitrogen atmosphere and moisture absorbent material at less than 30%RH.
- Please avoid rapid transitions in ambient temperature, especially in high humidity environments where condensation can occur.